INFORMATION
DISCLOSURE
STATEMENT

Docket No.	27693-01201	Serial No:	09/ 436,347
Inventor(s):	Christine WHITE et al.	Examiner:	A.M. HARRIS
Filed:	28 July 2000	Art Unit:	1643

U.S. PATENT DOCUMENTS

INITIAL	INDEX	DOCUMENT	DATE	NAME	CLASS	SUB.	FILING DATE
	D324	4,816,397	28 Mar 1989	Boss			
	D325	4,816,567	28 Mar 1989	Cabilly			
	D326	5,225,535	6 Jul 1993	Winter			
	D327	5,250,732	5 Oct 1993	Kogan			
	D328	5,530,101	25 Jun 1996	Queen			
	D329	5,691,135	25 Nov 1997	Braun			
	D330	6,399,649 B1	7 Aug 2003	Anderson			
	D331	7,381,560 B2	3 Jun 2008	Anderson			
	D332	7,422,739 B2	9 Sep 2008	Anderson			
	D333	2008/0038261 A1	14 Feb 2008	Grillo-López			

FOREIGN PATENT DOCUMENTS

	INITIAL	INDEX	DOCUMENT	DATE	COUNTRY	CLASS	SUB.	TRANSLATION	
	INTTIAL	INDEX	DOCOMENT	DATE	COUNTRY	CLASS	30B.	YES	NO
		D334	0 274 394 A2	13 Jul 1988	EP				
Г		D335	94/ 08601	28 Apr 1994	wo				
Г		D336	98/ 42378	1 Oct 1998	WO				

EXAMINER DATE CONSIDERED

Initial if a citation is considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.

Form PTO-1449 (modified)

SHEET 1 OF 4

INFORMATION
DISCLOSURE
STATEMENT

Docket No.	27693-01201	Serial No:	09/ 436,347
Inventor(s):	Christine WHITE et al.	Examiner:	A.M. HARRIS
Filed:	28 July 2000	Art Unit:	1643

OTHER DOCUMENTS

INITIAL	INITIAL INDEX CITATION	
	D337	Alas S. et al. Anticancer Res. 20(5A): 2961-66, 2000. Potentiation of fludarabine cytotoxicity on non-Hodgkin's lymphoma by pentoxifylline and rituximab.
	D338	Arranz R. et al. <i>J. Clin. Oncol.</i> 16(4): 1538-46, 1998. Role of interferon alfa-2b in the induction and maintenance treatment of low-grade non-Hodgkin's lymphoma: results from a prospective, multicenter trial with double randomization.
	D339	Belhadj K. et al. <i>Ann. Oncol.</i> 15: 504-10, 2004. Efficiency of <i>in vivo</i> purging with rituximab prior to autologous peripheral blood progenitor cell transplantation in B-cell non-Hodgkin's lymphoma: a single institution study.
	D340	Berinstein N. et al. <i>Proc. Amer. Assn. Cancer Res.</i> 38: 85, abst. no. 567, March 1997. IDEC-C2B8 (rituximab) levels correlate with response in low-grade or follicular non-Hodgkin's lymphoma (LG-F-NHL).
D341 1995. Chapter 8 for non-Hodgkin's Byrd J.C. Cance		Bierman P.J. et al. (in) Hoffman, R., ed., <i>Hematology</i> , 2d. ed. (Churchill Livingstone), 1995. Chapter 81, pages 1278-98. Clinical manifestations and staging of and therapy for non-Hodgkin's lymphomas.
		Byrd J.C. Cancer Biother. Radiopharm. 14(4)L 323, 1999. Rituximab therapy in patients with chronic lymphocytic leukemia.
	D343	Cheson B.D. et al. <i>Blood</i> 87: 4990-97, 1996. National Cancer Institute-specified working group guidelines for chronic lymphocytic leukemia: revised guidelines for diagnosis and treatment.
rituximab) enhances efficacy of cytotoxic drugs on neoplastic lymphocytes in vitu of cytokines, complement, and caspases. Eisenbeis C.F. et al. Clin. Cancer Res. 10: 6101-10 (2004). Combination immunotherapy of B-cell non-Hodgkin's lymphoma with rituximab and interleukin preclinical and phase I study. Engert A. et al. Ann. Hematol. 77(suppl. 2): S180, abst. no. 717. Multicenter phastudy of the monoclonal anti-CD20 antibody rituximab (IDEC-C2B8) in patients intermediate/high grade non-Hodgkin's lymphoma. Foran J.M. et al. Br. J. Haematol. 102(1): 149, 1998. Immunotherapy of mantle phyphoma (MCL), lymphoplasmacytoid lymphoma (LPC) and Waldentrom's		Chow K.U. et al. <i>Haematologica</i> 87: 33-43, 2002. Anti-CD20 antibody (IDEC-C2B8, rituximab) enhances efficacy of cytotoxic drugs on neoplastic lymphocytes <i>in vitro</i> : role of cytokines, complement, and caspases.
		immunotherapy of B-cell non-Hodgkin's lymphoma with rituximab and interleukin-2: a
		Engert A. et al. <i>Ann. Hematol.</i> 77(suppl. 2): S180, abst. no. 717. Multicenter phase II study of the monoclonal anti-CD20 antibody rituximab (IDEC-C2B8) in patients with intermediate/high grade non-Hodgkin's lymphoma.
		macroglobulinemia (WM), and small lymphocytic leukemia (SLL) with rituximab (IDEC-

EXAMINER	DATE CONSIDERED
Initial if a citation is considered, whether or not citation is in conformance with	h MPEP § 609. Draw line through citation if not in

Infilial if a citation is considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.

Form PTO-1449 (modified)

SHEET 2 OF 4

INFORMATION
DISCLOSURE
STATEMENT

Docket No.	27693-01201	Serial No:	09/ 436,347
Inventor(s):	Christine WHITE et al.	Examiner:	A.M. HARRIS
Filed:	28 July 2000	Art Unit:	1643

Fridik M.A. et al. <i>Ann. Hematol.</i> 74(1): 7-10, 1997. First-line treatment of Waldenström's disease with cladribine.
Gianni A.M. et al. <i>Blood</i> 102: 749-55, 2003. Long-term remission in mantle cell lymphoma following high-dose sequential chemotherapy and in vivo rituximab-purged stem cell autografting (R-HDS regimen).
Ginaldi L. et al. <i>J. Clin. Pathol.</i> 51: 364-69, 1998. Levels of expression of CD19 and CD20 in chronic B leukaemias.
Golay J. et al. <i>Haematologica</i> 88: 1002-12, 2003. Rituximab-mediated antibody-dependent cellular cytotoxicity against neoplastic B cells is stimulated strongly by interleukin-2.
Gribben J.G. et al. N. Engl. J. Med. 325(22): 1525-32, 1991. Immunologic purging of marrow assessed by PCR before autologous bone marrow transplantation for B-cell lymphoma.
Hillmen P. et al. Semin. Oncol. 31(1 suppl. 2): 22-26, 2004. Advancing therapy for chronic lymphocytic leukemia – the role of rituximab.
IDEC Pharmaceuticals Corp., press release dated 9 December 1996. IDEC Pharmaceuticals and Genentech announce positive final results for pivotal phase III trial of IDEC-C2B8 as single agent.
Imrie, K. et al. Curr. Oncol. 6(4): 228-35, 1999. Use of rituximab in the treatment of lymphoma: an evidence summary.
Jazirehi A.R. et al. Oncogene 24: 2121-43, 2005. Cellular and molecular signal transduction pathways modulated by rituximab (rituxan, anti-CD20 mAb) in non-Hodgkin's lymphoma: implications in chemosensitization and therapeutic intervention.
Keating M. et al. Semin. Oncol. 27(6 suppl. 12): 86-90, 2000. High-dose rituximab therapy in chronic lymphocytic leukemia.
Maddy A.H. et al. <i>Immunol</i> . 68(3): 346-52, 1989. The role of cell maturation in the generation of phenotypic heterogeneity in B-cell chronic lymphocytic leukaemia.
Marti G.E. et al. <i>Ann. N.Y. Acad. Sci.</i> 651: 480-83, 1992. CD20 and CD5 expression in B-chronic lymphocytic leukemia.
Mazza P. et al. Bone Marrow Trans. 23: 1273-78, 1999. Analysis of feasibility of myeloablative therapy and autologous peripheral stem cell (PBSC) transplantation in the elderly: an interim report.
Nguyen D.T. et al. <i>Eur. J. Haematol.</i> 62: 76-82, 1999. IDEC-C2B8 anti-CD20 (Rituximab) immunotherapy in patients with low-grade non-Hodgkin's lymphoma and lymphoproliferative disorders: evaluation of response on 48 patients.

EXAMINER	DATE		
	CONSIDERED		
Initial if a citation is considered, whether or not citation is in conformance wit	h MPEP § 609.	Draw line through citation if not in	

Initial if a citation is considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.

Form PTO-1449 (modified)

SHEET 3 OF 4

INFORMATION
DISCLOSURE
STATEMENT

Docket No.	27693-01201	Serial No:	09/ 436,347
Inventor(s):	Christine WHITE et al.	Examiner:	A.M. HARRIS
Filed:	28 July 2000	Art Unit:	1643

D362	O'Brien S.M. et al. <i>J. Clin. Oncol.</i> 19: 2165-70, 2001. Rituximab dose-escalation trial in chronic lymphocytic leukemia.		
D363	Piro L. et al. <i>Blood</i> 90(10 Suppl. 1): 510a, abst. no. 2272, 1997. RITUXAN TM (rituximab, IDEC-C2B8): Interim analysis of a phase II study of once weekly times 8 dosing in patients with relapsed low-grade or follicular non-Hodgkin's lymphoma.		
D364	Rai K.R. et al. (in) R. Hoffman, R., ed., <i>Hematology</i> , 2d. ed. (Churchill Livingstone), 1995. Chapter 83, pages 1308-19. Chronic lymphocytic leukemia.		
D365	Saville, M.W. Statement of M. Wayne Saville, M.D., dated 20 December 2007, submitted by applicant in Taiwan (R.O.C.) patent application no. 088119557.		
D366	van der Kolk, L.E. et al. <i>Blood</i> 92(10 Suppl. 1): 512a-513a, abst. no. 2284, 1997. Phase I/II clinical trial to evaluate the safety and efficacy of a chimeric anti-CD20 monoclonal antibody (rituximab) and G-CSF given weekly to patients with relapsed B-cell lymphoma.		
D367	D367 Witzig T.E. et al. Am. J. Clin. Pathol. 101: 312-17, 1994. Measurement of the intensity of cell surface antigen expression in B-cell chronic lymphocytic leukemia.		
D368	Zhou X. et al. <i>Chinese Pharm. J.</i> 30(8): 453-54, 1995. 细胞因子疗法在肿瘤治疗中的庄用. (English translation of abstract provided.)		

EXAMINER DATE CONSIDERED

Initial if a citation is considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.

Form PTO-1449 (modified)

SHEET 4 OF 4